



# CORMACK PACKAGING

A TRICORBRAUN® COMPANY

## GLOBAL INDUSTRIAL PACKAGING

Cormack Packaging a TricorBraun Company, is involved in the manufacture and supply of many forms of packaging around the World. This includes Plastics, Glass and Metals. This starts with basic flat caps, through multi piece dispensing caps and all the way up to plastic Sprays and Dispensing pumps and now includes the matching containers as well.

We continue to be the sole Tri-Sure distributor and manufacturer in Australia and New Zealand.

Our Penrith Facility is the base for all our Tri Sure range:

- Our Metals manufacturing of steel fitment and closures
- The Traded Tab Seals, closure systems, tools and fitments from around the globe for steel drum manufacturing and re-conditioning
- Traded fitments, bungs, plastic caps and accessories for Plastic Drum and Pail manufacturers

TricorBraun has been involved in containers for 120 years, Tri-Sure has been developing closure solutions for 90 years and Cormack Packing has been in packaging for 80 years as a local operation. That's a combined 290 years of technical experience to support your Brand and Products. This allows us to not only supply your packaging but to technically support you in its development and use in your facilities.





# PENRITH MANUFACTURED ITEMS







Quality Products  
Deserve Quality  
Closures

For metal containers

## TS60 Press -In Closure



The TS60 Press -In Closure is a plastic closure system for 57 DIN Openings on Closed Head Drums.

The system combines a plastic screw-cap, a press-in neck with easy-tear membrane, and optional venting for hot-fill applications.

Made at Cormack Packaging's Penrith plant in Sydney Australia

PIFG8001 – RED VENTED 500 per box  
Stock Item  
PIFG8004 WHITE No Vent 500 per box  
Made to Order

### TS60 Press-In Closure

#### How does it protect?

The TS60 Press -In Closure is designed for ease of use and security. It is an all-in-one solution, ensuring simple and correct installation for quality protection. The tamper-evident, ring-pull membrane must be removed before pouring. The screw cap is lightweight yet durable and comfortable to use. Easy re-application effectively reseals the contents of the container.

#### Ensuring Maximum Security Worldwide

Combined with Tri-Sure Closures global network of sales and service centers, technical support and tooling, the reliable TS60 really is the first choice for companies that value the ultimate solution for protecting their quality contents.

#### Options

- Optional ventilation for hot-filling applications

#### Thoughtful Design

The oversized and cantilevered pull ring facilitates comfortable and easy tearing of membrane.

Quality material, pleasing finish and smooth, secure turning action and engagement speak volumes for the quality of the product sealed with a Tri-Sure TS60 Press-In Closure.

Ergonomic grip formations on a low-profile cap ensure the cap can be reliably and safely re-applied by hand to protect the remaining contents and the environment, and to minimize waste.

#### Advantages

- ✓ Integrated closure solution simplifies installation and ensures proper operation.
- ✓ Low-profile cap facilitates drum stacking.
- ✓ Consistent Press -In design for automatic filling line application.
- ✓ Tamper evident.
- ✓ Optional vent for hot-filling of drums.

The first impression of a quality product should never be a difficult, uncomfortable or ineffective closure. Packaging frustration can drive even loyal customers away from a good product. The TS60 Press -In Closure ensures the user is fully satisfied with the entire experience of using your product.

As expected of the world leader in industrial closure systems, we provide a complete system to support application and removal of TS60 Press -In Closure. Our technical staff can also offer practical advice on achieving optimal sealing and upgrading your current container with the TS60 Closure System.





### CORMACK 44MM PAIL FITTINGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
SCNN4010	44 INNERSEAL PLAIN	3.00
SCNN4103	44 NOZZLE PLAIN	1.50
SCNN4108	44 NOZZLE LACQ-2	1.50
SCNN4235	44 CHILD RESISTANT SCREW CAP RED CELLO	1.25
SCNN4236	44 CHILD RESISTANT SCREW CAP MPI	1.25
SCNN4243	44 CHILD RESISTANT SCREW CAP ORANGE FIRE MPI	1.25
SCNN4123	44 SCREW CAP PLAIN CELLOSEAL WAD	1.50
SCNN4135	44 SCREW CAP PLAIN POISON CELLOSEAL WAD	1.50
SCNN4155	44 SCREW CAP LACQ-2 CELLOSEAL WAD	1.50
SCNN4160	44 SCREW CAP LACQ-2 POISON CELLOSEAL WAD	1.50

### CORMACK 56MM PAIL FITTINGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
SCNN5017	56 INNERSEAL PLAIN	1.50
SCNN5004	56 NOZZLE PLAIN	1.25
SCNN5007	56 NOZZLE LACQ-2	1.00
SCNN5024	56 SCREW CAP PLAIN CELLOSEAL WAD	1.00
SCNN5026	56 SCREW CAP PLAIN MPI WAD	1.00
SCNN5037	56 SCREW CAP POISON CELLOSEAL WAD	1.00
SCNN5060	56 SCREW CAP LACQ-2 CELLOSEAL WAD	1.00
SCNN5077	56 SCREW CAP WHITE CELLOSEAL WAD	2.00

### CORMACK PAIL FITTINGS

- Tri-Sure® Pail Fitting Closures for light containers enable packers of metal pails and drums to choose from a variety of Nozzles, Pourers, Innerseals, Screw Caps and Assemblies, so that the packer is assured of obtaining the most advanced and efficient closure for every type of product and package.
- Designed to give products packaged in pails or drums the greatest possible protection, and at the same time facilitate filling, pouring and stacking.
- Compliance with the Food Regulations of the Department of Health, and the Australian Code for the Transport of Dangerous Goods by Road and Rail.
- Precision Tri-Sure® dies are available to drum manufacturers for inserting the Tri-Sure® nozzle.

### CORMACK PLASTICS FOR 44MM PAIL FITTINGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
PCIP4000	44 PLASTIC SCREW CAP RED NO SPIGOT	1.25
PCIP4001	44 PLASTIC SCREW CAP RED SPIGOT	1.25
PCIP4451	44 PUSH PULL POURER CARBON	0.50

### CORMACK ACCESSORIES | HANDLES



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
PIFG1101	WHITE 4 FINGER PLASTIC HANDLE	1.00
PIFG1145	GREY 4 FINGER PLASTIC HANDLE	1.00
PIFG1107	BLACK 4 FINGER PLASTIC HANDLE ANTI-STATIC	1.00
PBSG1102	BLACK 4 FINGER PLASTIC HANDLE	1.00
PIFG1037	89 BAIL HANDLE ANTISTATIC	3.00
PIFG0045	89 BAIL HANDLE GREY	3.00



### CORMACK SNAP-IN-FLANGE

- Tri-Sure® Snap-In-Flange is an all-plastic closure, with a removable membrane, fitted to metal drums and pails for the convenience of dispensing liquid products.
- Designed for easy application of Poly Flow and Plastirob® taps using 3/4 inch B.S.P. thread.
- FDA compliant and provides corrosion resistance for use with a wide range of liquids.



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
PCIP2201	G3/4 SNAP-IN-FLANGE	2.0

### CORMACK POLY FLOW TAP

- Poly Flow Tap with face mounted dispensing lever and black nitrile (BUNA) rubber washer.
- FDA compliant and provides corrosion resistance for use with a wide range of dispensing applications.



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
PCIP2222	G3/4 PLASTIC POLY FLOW TAP	0.60

### CORMACK BUNGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON (1,000'S)
PCIP2014	BLACK 20 MM BUNG BLACK BUNA SEAL	1.50
PCIP2001	CREAM 20 MM BUNG BLACK BUNA SEAL	1.50
PCIP2012	CREAM 20 MM BUNG WHITE EPDM SEAL	1.50
PCIP2100**	RED 20 MM BUNG BLACK BUNA SEAL	1.50
PCIP2101	WHITE 20 MM BUNG BLACK BUNA SEAL	1.50

\*\* once current stock exhausted there is a Minimum Order quantity for Red

**NOTE :** The black seals are for chemicals The white seal is for food grade applications





**CORMACK  
PACKAGING**  
A TRICORBRAUN® COMPANY

## TRI-SURE® IMPORTED ITEMS

CLOSURE SYSTEMS

STEEL PLUGS

PLASTIC PLUGS

PLASTIC TAPS

TAB SEALS

NECK RINGS


GASKETS & WASHERS

UNI-GRIP SPOUTS

TOOLS & ACCESSORIES

## TRI-SURE® 4S CLOSURE SYSTEMS


**THE TRI-SURE® 4S CLOSURE SYSTEM HAS BEEN DESIGNED TO ENSURE** ease of application and optimal security for steel drums. The closures are manufactured in compliance with ISO-15750. Extensive testing, including drop tests with drums has shown the Tri-Sure® 4S Closure to be leak proof. Even under extreme conditions, the sealing will remain intact. Available in G2" and G3/4" sizes with a wide variety of finishes and executions to suit a wide range of filled products.



### TRI-SURE® FLANGES


- The Tri-Sure® octagonal steel flange is the very foundation of closure systems for millions of metal containers, forming a unitary joint with the drum stock.
- Unique double washers provide for the ultimate in security.
- The standard product is zinc plated for corrosion resistance, however you can choose from stainless steel, tinplated or phosphated.
- Phenolic and epoxy-phenolic lacquering is also available for extra protection.

### G3/4 FLANGES



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TFCA310010	G3/4 FLANGE ZINC DFT 4S	0.50
TFCA312010	G3/4 FLANGE PREFIT STEEL PLUG BUNA (N) WASHER	0.40
TFCA314410	G3/4 FLANGE ZINC DFT 4S RDL 44	0.49

### G2 FLANGES



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TFCA210010	G2 FLANGE ZINC DFT 4S	0.25
TFCA214410	G2 FLANGE ZINC DFT 4S RDL 44	0.192

### TRI-SURE® STEEL PLUGS

- Tri-Sure® steel plugs, which are thread-rolled to exact specifications, with high torque resistance wrench inserts, save weight without sacrificing strength and are being used worldwide to close and seal millions of metal containers.
- The standard product is zinc plated for corrosion resistance however you can choose from stainless steel tinplated or phosphated mild steel executions.
- Phenolic and epoxy-phenolic lacquering is also available for extra protection.
- Available with a range of Tri-Sure® plug washers including black nitrile, EPDM, polyethylene or viton.

#### G3/4 STEEL PLUGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TPAA310001	G3/4 STEEL PLUG ZINC BUNA (N) WASHER	1.00
TPAA310006	G3/4 STEEL PLUG ZINC (PE) WASHER	1.00
TPAA310008	G3/4 STEEL PLUG ZINC EPDM (S) WASHER	1.00
TPAA314401	G3/4 STEEL PLUG RDL 44 BUNA (N) WASHER	0.63
TPAA314406	G3/4 STEEL PLUG RDL 44 (PE) WASHER	0.63
TPAA314408	G3/4 STEEL PLUG RDL 44 EPDM (S) WASHER	0.63

#### G2 STEEL PLUGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TPAA310001	G3/4 STEEL PLUG ZINC BUNA (N) WASHER	0.25
TPAA310006	G3/4 STEEL PLUG ZINC (PE) WASHER	0.25
TPAA310008	G3/4 STEEL PLUG ZINC EPDM (S) WASHER	0.25
TPAA314401	G3/4 STEEL PLUG RDL 44 BUNA (N) WASHER	0.21
TPAA314406	G3/4 STEEL PLUG RDL 44 (PE) WASHER	0.21
TPAA314408	G3/4 STEEL PLUG RDL 44 EPDM (S) WASHER	0.21

### TRI-SURE® TAB SEAL® CAPS


- Tri-Sure® Tab Seal® Caps, with a lowered-in gasket is the most efficient commercial sealing device ever developed for the protection of drum contents.
- Available in metal or plastic and in a variety of colours, with or without customised logos.
- Both the metal and plastic Tab Seal® Cap have been designed to ensure ease of application and maximum security against pilferage or substitution of the drum's contents.
- Tab Seal® Caps are applied using Tri-Sure® manual or pneumatic sealing tools.

#### G3/4 TAB SEAL® CAPS



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TCA33001	G3/4 TAB-SEAL WHITE	2.50
TCA31116	G3/4 TAB-SEAL SEALED PROTECTED	2.50
TCA32235	G3/4 TAB-SEAL AUSTRALIAN MADE	2.50

#### G2 TAB SEAL® CAPS



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
TCA23001	G2 TAB-SEAL WHITE	0.50
TCA21116	G2 TAB-SEAL SEALED PROTECTED	0.50
TCA22235	G2 TAB-SEAL AUSTRALIAN MADE	0.50



### TRI-SURE® PLASTIC PLUGS

- Tri-Sure® Closure System for plastic containers of precisely formed parts designed to give maximum security from leakage, contamination and tampering.
- Produced from a copolymer of polypropylene or nylon, these plugs provide an excellent quality finish, consistency and high performance.
- All-plastic plugs are available with a range of Tri-Sure® plug washers including EPDM, black nitrile, polyethylene or viton.
- For specific applications, 'umbrella' or 'microporous' venting options are available.

#### G3/4 PLASTIC PLUGS (B.S.P. THREAD)



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON (1,000'S)
PCIP2013	G3/4 PLASTIC PLUG EPDM (S) VENT OUT	1.00
TPAG30144	G3/4 PLASTIC PLUG MICROPOROUS VENT BUNA (N) Washer	0.75

#### G2 PLASTIC PLUGS (B.S.P. THREAD)



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TPAG201	G2 PLASTIC PLUG BUNA (N) Washer	0.50
TAG208	G2 PLASTIC PLUG EPDM (S) Washer	0.50
TPAG20120	G2 PLASTIC PLUG COMBI G3/4 HOLE BUNA (N) Washer	0.50
TPAG20121	G2 PLASTIC PLUG COMBI G3/4 PLUG BUNA (N) Washer	0.50
TPAG20144	G2 PLASTIC PLUG COMBI G3/4 MICROPOROUS VENT PLUG BUNA (N) Washer	0.50
TPAN201	G2 NYLON PLUG BUNA (N) Washer	0.50
TPAG30144	G3/4 PLASTIC PLUG MICROVENT	0.75

#### 56x4 PLASTIC PLUGS (BUTTRESS THREAD)



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TPLG201	56x4 PLASTIC PLUG BUNA (N) Washer	0.50
PDG208	56x4 BUTTRESS PLUG PUSHLOCK	0.50
PDG2011803	56x4 MUSHROOM VENT OUT (N)	0.50
PDG2018803	56x4 BUTT PLUG PUSHLOCK MPV	0.45

### TRI-SURE® PLASTIROB® TAP

- Plastirob® dispensing taps are made from low-density polyethylene and are compatible with a wide range of dispensing applications.
- Plastirob® has a tapered B.S.P. thread and top mounted dispensing lever.
- Pour spout of 12mm and 17mm are available (12mm by import only)
- FDA compliant and provides corrosion resistance for use with a wide range of liquids.

### G3/4 PLASTIC PLUGS (B.S.P. THREAD)



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TRAH30	G3/4 PLASTIROB TAP 17mm - B.P.S.T.	0.50

### G3/4 & G2 SambaCap™

- Tri-Sure® SambaCap™ is an all-plastic (polyethylene) over-cap.
- Renowned for its durability and long lasting presentation when exposed to lengthy environmental conditions.
- No tooling necessarily required for application or removal.
- Available in plain, coloured, with or without customised logos.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TCSH300	G3/4 SambaCap™ WHITE	0.50
TCSH200	G2 SambaCap™ WHITE	1.00

### TRI-SURE® NECK RING

- Neck rings are not specifically required for all closure systems, however the addition of a neck ring can further improve the performance of steel containers.
- Suited for light gauge metal containers.

### G3/4 NECK RINGS



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
SCNN6170	G3/4 NECK RING	2.00



## TRI-SURE® Uni-Grip® SPOUTS

**FLEXIBLE POUR SPOUT TYPE CLOSURES** that have been designed for small to medium size pails and containers.

### 60C Uni-Grip®

- The Tri-Sure® 60C Uni-Grip® closure is a flexible pour spout combining a plastic cap and tamper evident bails that can be applied to metal and plastic containers.
- Large, easily accessible gripping bails allow for fast easy operation, together with a second tamper evident ring-pull membrane, when removed allows for maximum drainage.
- FDA compliant and provides corrosion resistance for use with a wide range of liquids.
- These closures are applied using a Tri-Sure® manual or pneumatic crimping-tool.
- For specific applications, venting and/or fluorination options are available.

ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON
PCIP6301	60C UNI-GRIP	0.50
PCIP6306	60C UNI-GRIP INTEGRAL VENTED	0.50
PCIP6307	60C UNI-GRIP BLEND BLUE	0.50




### 42P Uni-Grip®

- The Tri-Sure® 42P Uni-Grip® is a press-in closure that combines a plastic cap with tamper evident bails and flexible pour spout.
- Easily accessible tamper evident gripping bails for fast and easy operation, together with a tamper evident ring-pull membrane provides optimum security.
- Flexible pour spout facilitates easy and controlled dispensing and maximum drainage.
- FDA compliant and provides corrosion resistance for use with a wide range of liquids.
- No tooling is necessarily required to apply the 42P Uni-Grip®.




ITEM NO.	PRODUCT DESCRIPTION	QTY/CARTON
TUP101101	42P UNI-GRIP WHITE	1.80
TUP102101	42P UNI-GRIP RED	1.80



## TRI-SURE® TOOLING & ACCESSORIES


### TRI-SURE® PLUG & SCREW WRENCH ADAPTORS

**CORMACK TOOLS** Used for the application and/or removal of 44mm Child Resistant Screw Cap, with a 3/8 inch square drive.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TW0002	44 SCREW CAP WRENCH ADAPTOR	0.00

**CORMACK TOOLS** Used for the application and/or removal of 44mm Screw Cap, with a 3/8 inch square drive.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
TW0005	44 CR SCREW CAP WRENCH ADAPTOR	0.00

**CORMACK TOOLS** Used for the application and/or removal of 56mm Screw Cap, with a 3/8 inch square drive.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
SGTW5051	56 SCREW CAP WRENCH ADAPTOR	0.00

### TRI-SURE® COMBINATION TOOLS

Used for the removal of Tab-Seal and the application and/or removal of plastic and metal plugs.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
SGTW0020	COMBINATION PLUG WRENCH MILD STEEL	0.00

### TRI-SURE® SEALING TOOLS

Manual Sealing Tools.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
SGTW2001	G3/4 TAB-SEAL SEALING TOOL-MANUAL	0.00
SGTW5001	G2 TAB-SEAL SEALING TOOL-MANUAL	
SGTW6001	60C UNI-GRIP SEALING TOOL-MANUAL	

Pneumatic and Hydraulic Sealing Tools.



ITEM NO.	PRODUCT DESCRIPTION	QTY/ CARTON
SGTW2010	G3/4 TAB-SEAL SEALING TOOL-PNEUMATIC	0.00
SGTW5010	G2 TAB-SEAL SEALING TOOL-PNEUMATIC	
SGTW6002	60C UNI-GRIP SEALING TOOL-PNEUMATIC	





# CORMACK PACKAGING

A TRICORBRAUN® COMPANY

## HEAD OFFICE AND MANUFACTURING

**STREET ADDRESS:**

18-26 Harley Crescent, Condell Park NSW 2200 Australia

**MAILING ADDRESS:**

PO Box 56 Georges Hall NSW 2198 Australia

**FREECALL** 1800 801 758 **PHONE** +612 9707 8000 **FAX** +612 9707 8098

## VICTORIAN OFFICE

**STREET ADDRESS:**

182-184 Discovery Road, Dandenong VIC 3175 Australia

**PHONE** +61 407 501 014

## NEW ZEALAND OFFICE

**STREET ADDRESS:**

34 Apollo Dr, Mairangi Bay, Auckland 0632, New Zealand

**FREECALL** 0800 528 666 **PHONE** +649 475 5789 **FAX** +649 475 5781